

Cisco SD2005 5-Port Gigabit Switch Cisco Small Business Unmanaged Switches

Easy-to-Use High-Speed Switching for Small Businesses

Highlights

- Connect up to five network devices - computers, printers, and servers - to share and transfer large files and videos across your network
- High-speed connectivity to support bandwidth-intensive applications
- Works right out of the box with no software to configure

Figure 1. Cisco SD2005 5-Port Gigabit Switch



Product Overview

The Cisco® SD2005 5-Port Gigabit Switch (Figure 1), part of the Cisco Small Business Series, provides nonblocking, wire-speed switching for your 10-, 100-, and 1000-megabit network clients. Use this switch to replace your current workgroup hub or Fast Ethernet switch, to upgrade your high-requirement workstations to full Gigabit speeds as necessary, while continuing to service other clients at their current speeds. Or build your network from the ground up, with appropriate link speeds for each user's requirements. Either way, it's perfect for graphics, multimedia, and other applications that have to move large files across the network quickly.

With the Cisco SD2005, you can upgrade your existing 10/100 Ethernet network to Gigabit speed without any additional equipment. All ports have automatic medium dependent interface (MDI) and MDI crossover (MDI-X) detection, so you don't have to worry about the cable type. Each port also independently and automatically negotiates for best speed and whether to run in half- or full-duplex mode. Address Learning and Aging is supported, as well as 802.3x flow control with head-of-line blocking prevention to optimize your network performance. Fast store-and-forward switching prevents damaged packets from being passed on to the network.

World-famous Cisco reliability gives you peace of mind, and the ultra-compact case design is sure to fit into your workgroup environment. Let the Cisco SD2005 5-Port Gigabit Switch kick your network into high gear.

Features

- 5 RJ-45 10/100/1000-Mbps auto-sensing half/full duplex switched ports
- All ports support auto MDI/MDI-X cable detection
- Fully compliant with IEEE 802.3, 802.3u, 802.3x, and 802.3ab
- Non head-of-line blocking architecture
- Full-duplex IEEE 802.3x flow control and half-duplex back pressure with intelligent port-based congestion detection and broadcast rate control

Specifications

Table 1 contains the specifications and package contents for the Cisco SD2005 5-Port 10/100/1000 Gigabit Switch.

Table 1. Specifications for the Cisco SD2005 5-Port 10/100/1000 Gigabit Switch

Specifications	
Standards	IEEE 802.3, 802.3u, 802.3x, 802.3ab
Ports	5 RJ-45 10/100/1000 Mbps ports
Cabling type	Category 5 Ethernet
LEDs	System, 1 through 5
Security feature	Security slot
Environmental	
Dimensions W x H x D	5.51 x 1.31 x 5.51 in. (140 x 33 x 140 mm)
Unit weight	0.94 lb (0.425 kg)
Power	DC 12V/0.5A
Certification	FCC Class B, CE
Operating temperature	32° to 104°F (0° to 40°C)
Storage temperature	-40° to 158°F (-40° to 70°C)
Operating humidity	20 to 95%, noncondensing
Storage humidity	5 to 90%, noncondensing
Package Contents	
	<ul style="list-style-type: none"> • Cisco SD2005 5-Port 10/100/1000 Gigabit Switch • Power adapter • Quick Start Guide
Product Warranty	
	Limited lifetime hardware warranty with return to factory replacement and 1-year limited warranty for fans and power supplies.

Cisco Limited Lifetime Hardware Warranty

Cisco Small Business products offer a limited lifetime hardware warranty with return to factory replacement and a 1-year limited warranty for fans and power supplies. In addition, Cisco offers software application updates for bug fixes and telephone technical support at no charge for the first 12 months following the date of purchase. To download software updates, go to:

<http://www.cisco.com/go/smallbiz>.

Product warranty terms and other information applicable to Cisco products are available at

<http://www.cisco.com/go/warranty>.

For More Information

For more information on Cisco Small Business products and solutions, visit:

<http://www.cisco.com/smallbusiness>.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCSI, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco StackPower, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCOVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0903R)